Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6580490".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:01
L2	9173	beam$splitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:56
L3	132	(temperature cooling heat radiator sink fin peltier) with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:57
L4	173	(temperature cool$3 environmental heat radiator sink fin peltier) with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:23
L5	33	4 and exposure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:00
L6	140	4 not 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:11
L7	6	("3743378" | "4095899" | "4095900" | "4383762" | "4779983" | "5066990").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/21 14:21
L8	1	("6233054").URPN.	USPAT	OR	ON	2005/05/21 14:22
L9	173	(temperature cool$3 environmental heat radiator sink fin peltier) and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:24
L10	2	("3549239").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/21 14:53
L11	6	2 near2 cool$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:56

L12	31275	(temperature near2 control$2) with (cool$3 heat$sink tec)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:59
L13	3315	12 and exposure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:00
L14	30	13 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:00
L15	168	13 and modulator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:18
L16	579	image near2 decay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:20
L17	5	off with 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:19
L18	8	(residual adj image) near2 decay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:31
L19	2	18 and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:34
L20	2	19 and select$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:36
L21	0	1 and (3 4 6 (modulator near4 temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:37

L22	0	1 and (3 4 6 (modulator with temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:37
L23	2	1 and (modulator temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:38
L24	0	1 and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:38